

INTERIM  
7N-89-OR  
OCIT

**RESEARCH ON SPECTROSCOPY, OPACITY, AND ATMOSPHERES**

NASA Grant NAG5-2840

Annual Report No. 1

For the period 15 December 1994 to 14 December 1995

Principal Investigator  
Robert L. Kurucz

December 1996

Prepared for  
National Aeronautics and Space Administration  
Washington, D.C. 20546

Smithsonian Institution  
Astrophysical Observatory  
Cambridge, Massachusetts 02138

The Smithsonian Astrophysical Observatory  
is a member of the  
Harvard-Smithsonian Center for Astrophysics

The NASA Technical Officer for this grant is Dr. Donald West, Code 684.1,  
Laboratory for Astronomy and Solar Physics, Space Sciences Directorate,  
NASA Goddard Space Flight Center, Greenbelt, MD 20771.



RESEARCH ON SPECTROSCOPY, OPACITY, AND ATMOSPHERES

NASA Grant NAG5-2840

Annual Report

For the period 15 December 1994 to 14 December 1995

The main accomplishment this year was the merging of all my atomic line data into one wavelength-sorted list that is simple to use. Here is the README file:

---

KURUCZ CD-ROM NO. 23      Atomic Line List

Robert L. Kurucz and Barbara Bell

Harvard-Smithsonian Center for Astrophysics

April 15, 1995

This line list is a replacement for the Kurucz-Peytremann line list. We have combined all the atomic files from CDROM 18 into 534910 line files GFALL.DAT and GFELEM.DAT. These are the data we actually use to compute spectra. They are not up to date. References are given in GFALL.REF or GFELEM.REF. There are no references after 1988. For light elements there are no references after 1979. We have the literature into the 1990's but have not had manpower or funding to update everything. Our current plan is to make a new semiempirical calculation for each species and at that time to include all the data from the literature.

One new development is the inclusion of hyperfine splitting for the iron group elements using hyperfine data from the literature through 1993. The data are very incomplete. We have not yet included data for isotopic splitting. We supply a program for splitting the line list for a species. It reads the hyperfine and isotopic splitting parameters for levels and computes the splittings whenever those levels appear. Lines with no splitting data are copied untouched. Because Sc, Mn, and Co are monoisotopic, only the hyperfine splittings are needed. Since 51V is much more abundant than 50V, the isotope shifts are small for 51V, and we approximate V with 51V. GFALLHYP.DAT has 754946 lines including hyperfine Sc I, V I, Mn I, and Co I,

DIRECTORY CDROM23      filenames on CD are edited to 8 or fewer characters

GFREADME.DAT

CDROM23.BIGFILES      GFALL.DAT, GFELEM.DAT, and GFALLHYP.DAT

CDROM23.COMFILES      .COM, .FOR, and .LOG files for sorting and splitting the big files into small files.  
GFALL.REF and GFELEM.REF.  
RGFALL.FOR, a sample program that can read these data files into SYNTHE (CDROM 18).

CDROM23.GF10      GF0010.10, etc.      small files for nominal 10 nm intervals

CDROM23.GF100	GF0100.100, etc.	medium files for nominal 100 nm intervals
CDROM23.GFALL	GF0100.ALL, etc.	file for each species
CDROM23.GFHY10	GFHY0010.10, etc.	small files including hyperfine lines for nominal 10 nm intervals
CDROM23.HYPERFIN files for computing hyperfine splitting for individual isotopes		

THESE FILES ARE GUARANTEED TO CONTAIN ERRORS.

This research partially supported by NASA grants NAGW-1486, 2528, and 3299, and by a grant of Cray time at the San Diego Supercomputer Center.

To mount under VMS:

CD\_MOUNT/MEDIA=CDROM/UNDEFINED=(STREAM\_CR:132) <device> CDROM23 <logical name>

On some computers translate CR to LF:


In UNIX: tr '\015' '\012' < filename | more

I can now work on stars considering flux and spectrum data simultaneously in the ultraviolet, visible, and infrared. I can compute a spectrum including all 58 million lines (or just the ones with good wavelengths) at full resolution from the ultraviolet to the infrared for any model. Figures 1, 2, and 3 show sample plot pages from a calculation for Sirius from the Lyman limit to 300 microns at a resolving power of 500000. It is being used by Cohen and Witteborn at Ames to calibrate infrared photometry based on Sirius as a standard. It is also being compared to the GHRS ultraviolet spectrum taken by Glenn Wahlgren at Goddard. Figures 4, 5, 6, and 7 show the first 10 microns of the Arcturus spectrum. Earlier calculations were missing OH and SiO vibration-rotation lines which now been added to the line list.


Here is my bibliography for the last year:


- 1994 Solar abundance model atmospheres for 0,1,2,4,8 km/s. Kurucz CD-ROM No. 19.
- 1994 Atomic Data for Ca, Sc, Ti, V, and Cr. Kurucz CD-ROM No. 20.
- 1994 Atomic Data for Mn and Co. Kurucz CD-ROM No. 21.
- 1994 Atomic Data for Fe and Ni. Kurucz CD-ROM No. 22.
- 1994 Synthetic DDO colours. (C. Morosso, M. Franchini, M.L. Malagnini, R.L. Kurucz, and R. Buser) Astron. Astrophys. vol. 295, pp. 471-478.
- 1994 An upper limit for the deuterium abundance in the halo star HD 140283. (D.A. Lubowich, J.M. Pasachoff, R.P. Galloway, R.L. Kurucz, and V.V. Smith) Bull. Amer. Astron. Soc., vol. 26, 1479.
- 1995 Synthetic template spectra. Presented at Joint Discussion 12, Accuracy of the HR Diagram and Related Parameters, at the 22nd General Assembly of the International Astronomical Union, the Hague, 14 - 27 August 1994. Highlights of Astronomy (ed. I. Appenzeller), vol. 10, 407-410.

- 1995 The Kurucz atomic and molecular database. Presented at Joint Discussion 16, Astrophysical Applications of Powerful New Atomic Databases, at the 22nd General Assembly of the International Astronomical Union, the Hague, 14 - 27 August 1994. In Astron. Soc. of the Pacific Conf. Series 78, (eds. S.J. Adelman and W.L. Wiese) San Francisco: Astron. Soc. of the Pacific, pp. 205-210.
- 1995 The solar spectrum: atlases and line identifications. Presented at the Workshop on Laboratory and Astronomical High Resolution Spectra, 29 August - 2 September 1994, Brussels. In Laboratory and Astronomical High Resolution Spectra, Astron. Soc. of the Pacific Conf. Series 81, (eds. A.J. Sauval, R. Blomme, and N. Grevesse) San Francisco: Astron. Soc. of the Pacific, pp. 17-31.
- 1995 An atomic and molecular data bank for stellar spectroscopy. Presented at the Workshop on Laboratory and Astronomical High Resolution Spectra, 29 August - 2 September 1994, Brussels. In Laboratory and Astronomical High Resolution Spectra, Astron. Soc. of the Pacific Conf. Series 81, (eds. A.J. Sauval, R. Blomme, and N. Grevesse) San Francisco: Astron. Soc. of the Pacific, pp. 583-588.
- 1995 The spectrum of Sirius from 307 to 1040 nm. (I. Furenlid, R.L. Kurucz, and T. Westin) Presented at the Workshop on Laboratory and Astronomical High Resolution Spectra, 29 August - 2 September 1994, Brussels. In Laboratory and Astronomical High Resolution Spectra, Astron. Soc. of the Pacific Conf. Series 81, (eds. A.J. Sauval, R. Blomme, and N. Grevesse) San Francisco: Astron. Soc. of the Pacific, pp. 615-616.
- 1995 Atomic Line Data (R.L. Kurucz and B. Bell) Kurucz CD-ROM No. 23.
- 1995 The primordial lithium abundance. *Astrophys. Journ.*, vol. 452. pp.102-108.
- 1995 Rapid calculation of line opacity. To appear in *Computational Astrophysics, Volume 2, Stellar Physics* (ed. R. Kudritzki, D. Mihalas, K. Nomoto, and F.-K. Thielemann) Springer-Verlag, Berlin.




PREDICTED SIRIUS ULTRAVIOLET 100 - 400 NM  
TEFF 9850 LOG G 4.3 VTURB 0 KM/S [+0.4]  
VSINI 16 KM/S  
RESOLVING POWER 500000









PREDICTED ARCTURUS INFRARED 1050 - 1900 NM  
TEFF 4300 LOG G 1.5 VTURB 1.7 KM/S  
[+0.4] ALPHA-ENHANCED VSINI 0 KM/S  
RESOLVING POWER 500000

